

lizer를 섞는데 이는 열가소성 polyurethane block copolymer, polyetherimide(GE의 ultem), 또는 maleated 열가소성 elastomer등이 그 주성분이다. 이 Alloy를 얻기 위해 Twinscrew Extruder가 사용

되었다.

(Plastics Technology, p 55, April 1991)

〈SKC 중앙연구소 정규하〉

## 국제심포지움 안내

### Second Pacific Polymer Conference

**Period :** November 26~29, 1991

**Venue :** Otsu Prince Hotel, Shiga Japan

#### Topics :

1. Polymer Syntheses and Reactions,
2. Polymer Characterization
3. Structure-Property Relationships,
4. High Performance Polymers
5. Functional Polymers,
6. Bio-Related Polymers

#### Registration Fees

	before Sept. 1, 1991	after Sept. 1, 1991
Active participant*	¥ 45,000 each	¥ 50,000 each
Student*	¥ 22,500 each	¥ 25,000 each
Family member	¥ 15,000 each	¥ 20,000 each

\* Including Preprint Book.

#### Remittance

Registration and other social program fees should be paid by **September 1, 1991.**

#### Bank transfer in Japanese Yen to :

Account No. 042552  
 Teh Society of Polymer Science, Japan  
 The Bank of Tokyo, Ltd., Ginza Branch  
 Phone : (03) 3562-3413

**Credit Card :** Master Card and Visa Card are acceptable.

#### Contact :

2nd PPC Secretariat  
 The Society of Polymer Science, Japan  
 5-12-8 Ginza, Chuo-ku, Tokyo 104, Japan  
 Phone : 03-543-3771  
 Facsimile : 03-545-8560